## AMENDMENTS TO THE CLAIMS

The following listing of claims will replace all prior versions and listings of claims in the application.

## LISTING OF CLAIMS

1-20. (Cancelled)

21. (Currently Amended) A latch for a tool container, comprising:

a body;

a channel in said body for receiving a rail <u>having an arcuate surface</u> spanning from one side of the rail to another, said channel defined by an arcuate base surface in said latch <u>adapted to mate with the arcuate surface of the rail from one side to the other side</u>, two side walls extending from said base and two flanges extending from said side walls towards one another <u>and said base</u>, two side walls and two flanges surround the sides of the rail.

- 22. (Original) The latch according to Claim 21, wherein said base surface is arcuate along both a longitudinal and lateral axis.
- 23. (Original) The latch according to Claim 21, wherein one of said flanges including a cut-out enhancing coupling with said rails.
- 24. (Original) The latch according to Claim 21, wherein said latch including indicia indicating a locked and unlocked position.

Serial No. 10/772,617

- 25. (Original) The latch according to Claim 24, wherein said latch includes a second indicia indicating direction of movement.
- 26. (Currently Amended) The latch according to Claim 21, wherein said latch <u>is</u> comprised of a first member covered by a second member.
- 27. (Original) The latch according to Claim 26, wherein said first member providing rigidity to said latch.
- 28. (Original) The latch according to Claim 26, wherein a portion of said first member extending through said second member providing an indicia member and said portion having a surface substantially flush with said second member.
- 29. (Original) The latch according to Claim 28, wherein said second member including a second indicia member.
- 30. (Original) The latch according to Claim 21, wherein said body having an arcuate outer surface enabling manipulation by a user.
- 31. (Original) The latch according to Claim 26, wherein said second member is a soft material providing a gripping surface.
- 32. (Original) The latch according to Claim 26, wherein said first member being formed from polypropylene and said second member formed from krayton.

33-65. (Cancelled)

- 66. (Original) The latch according to Claim 29, wherein one of said indicia is in a contrasting color with respect to the other.
- 67. (Original) The latch according to Claim 66, wherein said first member indicia being yellow and said second member including said second indicia being black.
  - 68. (Cancelled)
  - 69. (New) A latch for a tool container, comprising:a body;

a channel in said body for receiving a rail, said channel defined by an arcuate base surface in said latch, two side walls extending from said base and two flanges extending from said side walls towards one another; and

said latch including a first member covered by a second member, a portion of said first member extending through said second member providing an indicia member and said portion having a surface substantially flush with said second member.

70. (New) The latch according to Claim 69, wherein said second member including a second indicia member.